













Plain Cassette



Automation in Blinds







Embry Translucent	Technical Details
Composition	100 % Polyester

Embry managem	Tooliinda Dotailo
Composition	100 % Polyester
Visibility	Translucent
Weight Aprox.	160 g/m² (± 5%)
Thickness	0.70 mm (± 0.05)
Width	2,75 mtr
Sheer & Vale box	75 X 50 mm
Hanging Properties	Excellent
Tearing Strength	Very High
Cleaning	Conditionally cleanable with a damp cloth
Operating System	Manual Ball chain
Motorization	Yes
Price Band	C













(centralisation) One click to open or close all your blinds

TIMER

Programming for the blinds at preferred times each day, to simulate presence.

AMBIANCE REPLAY

For instance, run the "Film evening" ambignos to dose the living room blinds








III:00
















Plain Cassette



Automation in Blinds

Fenton Translucent	Technical Details
Composition	100 % Polyester
Visibility	Translucent
Weight Aprox.	155 g/m² (± 5%)
Thickness	0.39 mm (± 2s)
Width	2.50 mtr
Sheer & Vale box	75 X 50 mm
Hanging Properties	Excellent
Tearing Strength	Very High
Cleaning	Conditionally cleanable with a damp cloth
Operating System	Manual Ball chain
Motorization	Yes
Price Band	В



















HOME MODE (centralisation) One click to open or close all your blinds.

TIMES

Programming for the blinds at preferred times each day, to simulate presence

AMBIANCE REPLAY

Run programmed ambiances with 1 click.
For instance, run the "Film evening" ambiance to close the living room binds









UT 1525















Plain Cassette



Automation in Blinds

Caster Translucent	Technical Details
Composition	100 % Polyester
Visibility	Translucent
Weight Aprox.	126 g/m²(± 5%)
Thickness	0.48 mm (± 0.05)
Width	2.80 mtr
Sheer & Vale box	75 X 50 mm
Hanging Properties	Excellent
Tearing Strength	Very High
Cleaning	Conditionally cleanable with a damp cloth
Operating System	Manual Ball chain
Motorization	Yes
Price Band	D















	1	
	1	
	1	
		PRODUCTION OF THE PROPERTY OF
The same of the sa		
		2011-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
		20-10-10-10-10-10-10-10-10-10-10-10-10-10

AND DESCRIPTION OF THE PROPERTY OF THE PROPERT		
		The state of the s



(centralisation)
One click to open or close all your blinds

TIMER

Programming for the blinds at preferred times each day, to simulate presence

AMBIANCE REPLAY

Run programmed ambiances with 1 click.
For instance, run the "Film evening" ambiance to close the living room blinds



AUTOMATION IN FIXIT BLINDS

You can now filter daylight and increase privacy more easily with Fixit blinds. Chic and contemporary Fixit blinds are available with various easy to use automation options.

A striking modern look for the home and office that looks as good from the outside as it does from the inside.

Motorized Fixit blinds also help you to maintain your view and privacy with more comfort specially for wider width large windows.



LCT 1544

















Price Band

Delvon Translucent	rechnical Details
Composition	100 % Polyester
Visibility	Translucent
Weight Aprox.	185 g/m² (± 5%)
Thickness	0.53 mm (± 2s)
Width	2.85 mtr
Sheer & Vale box	75 X 50 mm
Hanging Properties	Excellent
Tearing Strength	Very High
Cleaning	Conditionally cleanable with a damp cloth
Operating System	Manual Ball chain
Motorization	Vas

Operating Systems


















(centralisation)
One click to open or close all your blinds

TIMER

Programming for the blinds at preferred times each day, to simulate presence

AMBIANCE REPLAY


Run programmed ambiances with 1 click. For instance, run the "Film evening" ambiance to close the living room blinds



Blinds By Fixit Design are an innovative window furnishing that feature two layers of translucent and opaque horizontal striped fabric that combine to create a striking modern feel. Our collection offers you the perfect range of fabrics and colours to help you to create your statement look.

An amazingly stylish and simple way to control light and privacy at any time of the day or night. Blinds By Fixit Design let you effortlessly slide two stylish fabrics past each other in an open, half open or completely closed position to create the perfect look for your window, your mood and your home.






LDT 1554















Fabric Decoration Cassette

Plain Cassette

Automation in Blind

Operating	Syctome





Silvanus	Translucent	Technical Deta	ails

Silvanus Translucent	Technical Details	
Composition	100 % Polyester	
Visibility	Translucent	
Weight Aprox.	140 g/m ² (± 5%)	
Thickness	0.47 mm (± 5%)	
Width	2.80 mtr	
Sheer & Vale box	100 X 70 mm	
Hanging Properties	Excellent	
Tearing Strength	Very High	
Cleaning	Conditionally cleanable with a damp cloth	
Operating System	Manual Ball chain	
Motorization	Yes	
Price Band	С	













(centrassation)
One click to open or close all your blinds

TIMER

Programming for the blinds at preferred times each day, to simulate presence

AMBIANCE REPLAY

Run programmed ambiances with 1 click. For instance, run the "Film evening" ambiance to close the living room blinds















Fabric Decoration Cassette

Plain Cassette

Automation in Blinds

Heywood Translucent	Technical Details
Composition	100 % Polyester
Visibility	Translucent
Weight Aprox.	143 g/m² (± 5%)
Thickness	0.65 mm (± 5%)
Width	2.80 mtr
Sheer & Vale box	100 X 70 mm
Hanging Properties	Excellent
Tearing Strength	Very High
Cleaning	Conditionally cleanable with a damp cloth
Operating System	Manual Ball chain
Motorization	Yes
Price Band	C

















(centralisation)
One click to open or close all your blinds

TIMER:

Programming for the blinds at preferred times each day, to simulate presence.

AMBIANCE REPLAY

Run programmed ambiences with 1 click. For instance, run the 'Film evening' ambience to close the living room blirids













Kenna Blackout



Plain Cassette







REMOTE




Price Band	E
Motorization	Yes
Operating System	Manual Ball chain
Cleaning	Conditionally cleanable with a damp cloth
Tearing Strength	Very High
Hanging Properties	Excellent
Sheer & Vale box	120 X 80 mm
Width	2.75 mtr
Thickness	0.50 mm (± 0.05)
Weight Aprox.	300 g/m² (± 5%)
Visibility	Blackout
Composition	100 % Polyester

Technical Details









LKB 1581

LKB 1582



(centralisation)
One click to open or close all your blinds

TIMER


Programming for the blinds at preferred times each day, to simulate presence


AMBIANCE REPLAY

Run programmed ambiances with 1 click. For instance, run the "Film evening" ambiance to close the living room blinds












The perfect combination of Style, quality and performance











Plain Cassett



Automation in Blinds





Operating Systems


Trinity Blackout	Technical Details	
Composition	100 % Polyester	
Visibility	Blackout	
Weight Aprox.	120 g/m² (± 5%)	
Thickness	0.48 mm (± 0.05)	
Width	2.75 mtr	
Sheer & Vale box	120 X 80 mm	
Hanging Properties	Excellent	
Tearing Strength	Very High	
Cleaning	Conditionally cleanable with a damp cloth	
Operating System	Manual Ball chain	
Motorization	Yes	
Price Band	E	
Luana Blackout	Technical Details	
Composition	100 % Polyester	
Visibility	Blackout	
Weight Aprox.	330 g/m² (± 5%)	
Thickness	0.58 mm (± 2s)	
Width	2.85 mtr	
Sheer & Vale box	100 X 60 mm	
Hanging Properties	Excellent	
Tearing Strength	Very High	
Cleaning	Conditionally cleanable with a damp cloth	
Operating System	Manual Ball chain	
Motorization	Yes	
Price Band	D	


















PERSONALISE AS PER YOUR NEED

Give your blinds a glamorous enhancement with a sleek cassette which is fitted to the top of your blind, discreetly housing the operating mechanism. You can choose from plain cassette or matching fabric decorative cassette too.


TRINITY



LUANABLACKOUT




LLB 1602





LLB 1603















Plain Cassette



Automation in Blinds

Vian	Translucent	Technical Details	

Price Band	D	
Motorization	Yes	
Operating System	Manual Ball chain	
Cleaning	Conditionally cleanable with a damp cloth	
Tearing Strength	Very High	
Hanging Properties	Excellent	
Sheer & Vale box	105 X 70 mm	
Width	2.60 mtr	
Thickness	0.50 mm (± 0.05)	
Weight Aprox.	174 g/m² (± 5%)	
Visibility	Translucent	
Composition	100 % Polyester	
Viair Translucent	recrifical Details	






















(centralisation)
One click to open or close all your blinds


TIMER

Programming for the blinds at preferred times each day, to simulate presence


AMBIANCE REPLAY


Run programmed ambiances with 1 click. For instance, run the "Film evening" ambiance to close the living room blinds





LVT 1615















Plain Cassette



Automation in Blinds



Grania Translucent	Technical Details
Composition	100 % Polyester
Visibility	Translucent
Weight Aprox.	110 g/m² (± 5%)
Thickness	0.31 mm (± 2s)
Width	2.50 mtr
Sheer & Vale box	75 X 50 mm
Hanging Properties	Excellent
Tearing Strength	Very High
Cleaning	Conditionally cleanable with a damp cloth
Operating System	Manual Ball chain
Motorization	Yes
Price Band	A

















PREMIUM WINDOW STYLING

Give your window blinds a stylish enhancement with one of our premium fabric decorative cassettes which add a luxurious finish to enhance your interior and also add a little personality to your blinds. Blinds By Fixit Design combines the ideal balance of privacy and light control with the fashionable, eye-catching trend of bold stripes and color blocking.







